

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for <https://www.bharatmatrimony.com/>

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [address](#) ▼

<https://www.bharatmatrimony.com/>

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 12, column 29; to line 12, column 59

```
t="UTF-8"><script type="text/javascript">(windo
```

2. **Error** Bad value `cache-control` for attribute `http-equiv` on element `meta`.

From line 18, column 7; to line 18, column 60

```
" /><meta http-equiv="cache-control" content="no-cache" />
```

3. **Error** Bad value `pragma` for attribute `http-equiv` on element `meta`.

From line 19, column 7; to line 19, column 53

```
/><meta http-equiv="pragma" content="no-cache" />
```

4. **Error** The `center` element is obsolete. [Use CSS instead.](#)

From line 232, column 4; to line 232, column 11

```
t) --><center></center>
```

5. **Warning** The `border` attribute is obsolete. Consider specifying `img { border: 0; }` in CSS instead.

From line 278, column 84; to line 278, column 276

```
mob-none"></div>
```

6. **Error** Duplicate attribute `class`.

At line 698, column 396

```
PASSWORD" class="hp-txtBox" m
```

7. **Error** Duplicate attribute `onfocus`.

At line 699, column 288

```
ASSWD1" onfocus="$( '#ID' ).remo
```

8. **Error** Duplicate ID `marginhdot`.

From line 755, column 53; to line 755, column 145

```
<div class="hdot" id="marginhdot" style="width: 250px;position: absolute;padding-top: 25px;"><!--
```

9. **Warning** The first occurrence of ID `marginhdot` was here.

From line 745, column 4; to line 745, column 67

```
</div><div class="hdot paddt10" id="marginhdot" style="width: 250px;"><!--
```

10. **Error** Duplicate ID `div_help`.

From line 756, column 12; to line 756, column 70

```
<div id="div_help" class="fleft" style="padding-top:35px;"><a
```

11. **Warning** The first occurrence of ID `div_help` was here.

From line 737, column 4; to line 737, column 79

```
4px;"><div id="div_help" class="fleft mediumtxt" style="width:300px; color:#777;"><d
```

12. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 829, column 4; to line 829, column 125

```
rt --><script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/hp-bm-js.js?randid=05092018">
```

</scri

13. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 829, column 4; to line 829, column 125

```
rt --> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/hp-bm-js.js?randid=05092018">
</scri
```

14. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 830, column 4; to line 830, column 146

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/home-register-err-msg-track-
y.js?randid=21082019"></scri
```

15. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 830, column 4; to line 830, column 146

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/home-register-err-msg-track-
y.js?randid=21082019"></scri
```

16. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 831, column 4; to line 831, column 147

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/mini/bmhome-hpjs-kerala-
tracky.js?randid=05092020"></scri
```

17. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 831, column 4; to line 831, column 147

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/mini/bmhome-hpjs-kerala-
tracky.js?randid=05092020"></scri
```

18. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 832, column 4; to line 832, column 150

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/hp-register-validation-js.js?
randid=2104202116292021"></scri
```

19. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 832, column 4; to line 832, column 150

```
ript> <script type="text/javascript" language="javascript" src="//imgs.bharatmatrimony.com/scripts/hp-register-validation-js.js?
randid=2104202116292021"></scri
```

20. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 833, column 4; to line 833, column 109

```
ript> <script type="text/javascript" src="//imgs.bharatmatrimony.com/scripts/home-help-phno.js?random=05082021"></scri
```

21. **Error** Attribute `name` not allowed on element `ul` at this point.

From line 849, column 4; to line 849, column 271

```
/span> <ul class="regdropdown" NAME="" ID="REGISTERED_BY_VALUE" onclick="genopt(); gentrack(); _gaq.push(['_ult',
'MatrimonyProfileFor-SelectedFilled']);GApushGenderSel(); " onkeydown="" onFocus="" onBlur=""><li
```

Attributes for element `ul`:

[Global attributes](#)

22. **Error** Bad value for attribute `name` on element `input`: Must not be empty.

From line 851, column 100; to line 851, column 151

```
: left;"> <input name="" type="radio" id="regpro2" value="1"/><label
```

23. **Error** Bad value for attribute `name` on element `input`: Must not be empty.

From line 852, column 73; to line 852, column 112

```
his.id);"><input name="" type="radio" value="9"/><label
```

24. **Error** Bad value for attribute `name` on element `input`: Must not be empty.

From line 853, column 73; to line 853, column 112

```
his.id);"><input name="" type="radio" value="8"/><label
```

25. **Error** Bad value for attribute `name` on element `input`: Must not be empty.

From line 855, column 100; to line 855, column 140

```
n: left;"><input name="" type="radio" value="11"/><label
```

26. **Error** Bad value for attribute `name` on element `input`: Must not be empty.

From line 856, column 74; to line 856, column 114

autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

35. **Error** Attribute `div` not allowed on element `input` at this point.

From line 883, column 4; to line 884, column 9

```
0px;"><input type="text" name="NAME" id="NAME" maxlength="40" tabindex="0" class="hp-regform-txtfield-new ..."
onclick="ValnameCon();" onFocus="ValnameCon(); valCheckGender_Focus();" placeholder="Enter Name" </div></
```

Attributes for element `input`:

[Global attributes](#)

accept	when type is file
alt	when type is image
autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	
checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

36. **Error** The `select` element cannot have more than one selected `option` descendant unless the `multiple` attribute is specified.

From line 898, column 4; to line 898, column 91

```
ption"><option data-text="United States of America (+1)" data-value="+1" value="222" selected >United
```

37. **Error** Duplicate attribute `onkeyup`.

At line 924, column 637

```
out();" onkeyup="ValmobileConF
```

38. **Error** Attribute `alt` not allowed on element `input` at this point.

From line 975, column 4; to line 975, column 161

```
d100"><input type="button" tabindex="0" onclick="return validateRegistrationForm(1);" class="hp-button hp-regbtn dh-btn"
alt="REGISTER FREE" value="REGISTER FREE" >
```

Attributes for element `input`:

[Global attributes](#)

accept	when type is file
alt	when type is image
autocomplete	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , range , or color
autofocus	

checked	when type is checkbox or radio
dirname	when type is text or search
disabled	
form	
formaction	when type is submit or image
formenctype	when type is submit or image
formmethod	when type is submit or image
formnovalidate	when type is submit or image
formtarget	when type is submit or image
height	when type is image
list	when type is text , search , url , tel , email , date , month , week , time , datetime-local , number , range , or color
max	when type is date , month , week , time , datetime-local , number , or range
maxlength	when type is text , search , url , tel , email , or password
min	when type is date , month , week , time , datetime-local , number , or range
multiple	when type is email or file
name	
pattern	when type is text , search , url , tel , email , or password
placeholder	when type is text , search , url , tel , email , password , or number
readonly	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , or number
required	when type is text , search , url , tel , email , password , date , month , week , time , datetime-local , number , checkbox , radio , or file
size	when type is text , search , url , tel , email , or password
src	when type is image
step	when type is date , month , week , time , datetime-local , number , or range
type	
value	when type is not file or image
width	when type is image

39. **Warning** The document is not mappable to XML 1.0 due to two consecutive hyphens in a comment.

At line 990, column 10

```
ript>... <!--GENDER --->...
```

40. **Error** End tag `</center>` seen, but there were open elements.

From line 1042, column 4; to line 1042, column 12

```
</div>... </center>...
```

41. **Error** Unclosed element `div`.

From line 233, column 4; to line 233, column 29

```
enter>... <div class="hpmainwraper">... <d
```

42. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1056, column 4; to line 1056, column 34

```
</div>... <script type="text/javascript">...
```

43. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1120, column 4; to line 1120, column 56

```
cript>... <script type="text/javascript" language="javascript">setwlo
```

44. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 1120, column 4; to line 1120, column 56

```
cript>... <script type="text/javascript" language="javascript">setwlo
```

45. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1121, column 4; to line 1121, column 56

```
cript>... <script type="text/javascript" language="javascript">...
```

46. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 1121, column 4; to line 1121, column 56

```
cript>... <script type="text/javascript" language="javascript">...
```

47. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1124, column 4; to line 1124, column 56

```
cript>... <script language="javascript" type="text/javascript">...
```

48. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

```
cript> <script language="javascript" type="text/javascript">
```

From line 1134, column 4; to line 1134, column 56

```
</div><script language="javascript" type="text/javascript">
```

From line 1134, column 4; to line 1134, column 56

```
</div> <script language="javascript" type="text/javascript">
```

From line 1153, column 4; to line 1153, column 56

```
cript> <script language="javascript" type="text/javascript">anonCo
```

From line 1153, column 4; to line 1153, column 56

```
cript><script language="javascript" type="text/javascript">anonCo
```

From line 1154, column 4; to line 1154, column 34

```
cript><script type="text/javascript">
```

From line 1166, column 4; to line 1166, column 52

```
gin--> <iframe id="fbframe" src="" style="display:none"></ifra
```

From line 1167, column 4; to line 1167, column 34

```
frame> <script type="text/javascript">
```

From line 1265, column 4; to line 1265, column 34

```
ng --> <script type="text/javascript">
```

From line 1327, column 4; to line 1327, column 100

```
rt --> <script src="//imgs.bharatmatrimony.com/scripts/jquery-latest-track-y.js" type="text/javascript"></scri
```

From line 1329, column 4; to line 1329, column 88

```
cript><script src="//imgs.bharatmatrimony.com/scripts/exitpopup.js" type="text/javascript"></scri
```

From line 1365, column 4; to line 1365, column 34

```
cript> <script type="text/javascript">
```

From line 1436, column 4; to line 1436, column 34

```
nd --> <script type="text/javascript">
```

From line 1685, column 4; to line 1685, column 11

```
v1" /> <center>
```

From line 1693, column 9; to line 1693, column 174

```
>> <div></div>
```

Global attributes

alt — Replacement text for use when images are not available

src — Address of the resource

srcset — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

sizes — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

63. **Error** Stray end tag `span`.

From line 1706, column 1902; to line 1706, column 1908

```
Reddy</a>.</span>> </>
```

64. **Error** Element `img` is missing required attribute `src`.

From line 1773, column 9; to line 1773, column 142

```
>> <div></div>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

65. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 1782, column 9; to line 1782, column 152

```
>> <div></div>
```

66. **Error** Element `img` is missing required attribute `src`.

From line 1782, column 9; to line 1782, column 152

```
>> <div></div>
```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map

[width](#) — Horizontal dimension

[height](#) — Vertical dimension

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

[decoding](#) — Decoding hint to use when processing this image for presentation

[loading](#) — Used when determining loading deferral

67. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 1791, column 9; to line 1791, column 155

```
>> <div></div>
```

68. **Error** Element `img` is missing required attribute `src`.

From line 1791, column 9; to line 1791, column 155

```
>> <div></div>
```

```
lazyload" alt="Success Stories"/></div>
```

Attributes for element `img`:

[Global attributes](#)

- [alt](#) — Replacement text for use when images are not available
- [src](#) — Address of the resource
- [srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
- [sizes](#) — Image sizes for different page layouts
- [crossorigin](#) — How the element handles crossorigin requests
- [usemap](#) — Name of [image map](#) to use
- [ismap](#) — Whether the image is a server-side image map
- [width](#) — Horizontal dimension
- [height](#) — Vertical dimension
- [referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element
- [decoding](#) — Decoding hint to use when processing this image for presentation
- [loading](#) — Used when determining loading deferral

69. **Error** Element `img` is missing required attribute `src`.

From line 1960, column 42; to line 1960, column 208

```
acc-head"></div>
```

Attributes for element `img`:

[Global attributes](#)

- [alt](#) — Replacement text for use when images are not available
- [src](#) — Address of the resource
- [srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.
- [sizes](#) — Image sizes for different page layouts
- [crossorigin](#) — How the element handles crossorigin requests
- [usemap](#) — Name of [image map](#) to use
- [ismap](#) — Whether the image is a server-side image map
- [width](#) — Horizontal dimension
- [height](#) — Vertical dimension
- [referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element
- [decoding](#) — Decoding hint to use when processing this image for presentation
- [loading](#) — Used when determining loading deferral

70. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 1964, column 4; to line 1964, column 151

```
form"><script type="text/javascript" language="javascript"
src="https://imgs.bharatmatrimony.com/scripts/rightmenuquicksearch_seo.js?random=210420211629"></scri
```

71. **Warning** The `language` attribute on the `script` element is obsolete. You can safely omit it.

From line 1964, column 4; to line 1964, column 151

```
form"><script type="text/javascript" language="javascript"
src="https://imgs.bharatmatrimony.com/scripts/rightmenuquicksearch_seo.js?random=210420211629"></scri
```

72. **Error** Bad value for attribute `action` on element `form`: Must be non-empty.

From line 1965, column 4; to line 1965, column 119

```
cript"><form style="margin: 0px;" action="" onsubmit="return homepageformvalidate();" method="post" name="quicksearchform">
<d
```

73. **Error** Element `style` not allowed as child of element `center` in this context. (Suppressing further errors from this subtree.)

From line 2065, column 4; to line 2065, column 10

```
ude--><style> .b
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

74. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 2110, column 1; to line 2110, column 93

```
/script><script type="text/javascript" src="//imgs.bharatmatrimony.com/scripts/FAQ-Populatingnew.js"></scri
```

75. **Error** Element `style` not allowed as child of element `center` in this context. (Suppressing further errors from this subtree.)

From line 2113, column 1; to line 2113, column 7

```
clude --><style>
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

76. **Error** CSS: `--percent`: Invalid type: `var(--rating) / 5`.

At line 2199, column 49

```
ing) / 5 * 100%);" disp
```

77. **Error** Duplicate attribute `rel`.

At line 2635, column 173

```
n=BMfooter" rel="nofollow">Abi
```

78. **Error** Element `style` not allowed as child of element `center` in this context. (Suppressing further errors from this subtree.)

From line 2710, column 1; to line 2710, column 7

```
e End -->"<style>".ftnc
```

Contexts in which element `style` may be used:

Where [metadata content](#) is expected.

In a [noscript](#) element that is a child of a [head](#) element.

79. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 2829, column 4; to line 2829, column 107

```
enter>"<script type="text/javascript" src="//imgs.bharatmatrimony.com/scripts/footer-accordion.js?id=13082021"> </scr
```

80. **Warning** The `type` attribute is unnecessary for JavaScript resources.

From line 2919, column 4; to line 2919, column 34

```
cript>"<script type="text/javascript">window
```

81. **Error** Stray start tag `script`.

From line 2920, column 12; to line 2920, column 41

```
</html>"<script language="javascript">" doc
```

82. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.

From line 2920, column 12; to line 2920, column 41

```
</html>"<script language="javascript">" doc
```

Document checking completed.

Used the HTML parser. Externally specified character encoding was UTF-8.

Total execution time 849 milliseconds.